


AIO® Gen 1 and Gen 2+ Wall Mounted Units

Summary Of Differences



CONTACT INFO

VIP Customer/Technical Support

Email: vip@innova.co

Phone: [\(212\) 204-2700](tel:(212)204-2700)

DISCLAIMER

This documentation is intended for informational use only and should not be construed as a binding representation or contract. This documentation is provided “as is” without warranty of any kind, either express or implied. INNOVA and its affiliates disclaim all liability arising from the use or misuse of this documentation.

Illustrations may not be to scale, and all information and dimensions stated herein are subject to change at any time at the sole discretion of INNOVA. Benefits described herein apply only to the extent that the product is installed correctly in the correct application and used for its intended purpose.

INNOVA is constantly innovating and improving its products and reserves the right to modify product design and specifications without notice and without incurring any obligations.

CERTIFICATIONS & LISTINGS

The AHRI Certified® mark indicates INNOVA’s participation in the AHRI Certification program. For verification of individual certified products, go to www.ahridirectory.org.

ETL Listed. Control Number: 5032306. Conforms to: UL 60335-2-40:2022 Ed.4 | CSA C22.2#60335-2-40:2022 Ed.4 | UL 60335-1:2016 Ed.6 | CSA C22.2#60335-1:2016 Ed.2

AIO® is a registered trademark of INNOVA.

Copyright © 2026 INNOVA. All rights reserved.

To Whom It May Concern,

This document outlines the key technical and installation differences between our Generation 1 (Gen 1) vs. Generation 2 (Gen 2) and Generation 3 (Gen 3) AIO® Wall Mounted heat pump units. These differences primarily impact system design, connectivity, compatibility, and installation flexibility.

This summary is intended to support installation clarity and compliance review. Should additional documentation or visual references be required, we would be happy to provide them.


1. ONBOARD TOUCH CONTROLLER

- Gen 1: Utilizes the original Gen 1 onboard touch controller interface.
- Gen 2 / Gen 3: Feature an updated onboard touch controller with improved interface and functionality.

Figure 1. **Gen 1** Display:



Figure 2. **Gen 2 and 3** Display:



2. PCB DESIGN

- **Gen 1:** Uses separate boards for driver, power, and MCU functions
- **Gen 2 / Gen 3:** Incorporate a redesigned, fully integrated PCB combining:
 - Driver board
 - Power board
 - MCU board

Figure 3. **Gen 1** PCB Boards




Figure 4. **Gen 2 and 3** PCB Board



3. ACCESSORY CONNECTIONS

- **Gen 1:** Does not include standardized accessory connection points.
- **Gen 2 / Gen 3:** Include a block of Molex connectors for accessories that is accessible from either the bottom or side of the unit (see locations in Figures 3 and 4). This block simplifies installation and accessory integration.

Figure 5. **Gen 2** Accessory connection locations





Figure 6. **Gen 3** Accessory connection locations



4. HEAT TRACE COMPATIBILITY

- **Gen 1:** Not compatible with heat trace wire
- **Gen 2 / Gen 3:** Fully compatible with heat trace wire for condensate management (GB1119 for Gen 2 and GB1120 for Gen 3).

Figure 7. Heat trace wire




5. NEBULIZER COMPATIBILITY

- **Gen 1:** Is not compatible with the wall-mounted nebulizer.
- **Gen 2 and 3:** Are compatible with the wall-mounted nebulizer.

6. WI-FI CHIP LOCATION

- **Gen 1:** The built-in Wi-Fi chip is located on the onboard touch controller.
- **Gen 2 and 3:** The built-in Wi-Fi chip is located on the integrated PCB board.

Figure 8. **Gen 1** Wi-Fi chip location



7. ERV MODULE COMPATIBILITY

- **Gen 1 and 2:** Compatible with the **AWERV30** ERV module.
- **Gen 3:** Compatible with the **AWERV30-3** ERV Module.



With over 20 years of experience in the climate comfort sector, we have a clear goal: growth through innovation. Our team is laser-focused on the conception, development, and production of innovative heating, ventilation, and air conditioning solutions. This mission has developed through bringing together technical skills, creativity, technology, design, Italian passion, and a global vision to achieve the best energy efficiency and performance..

innova.co | **USA:** 216-710-1000 **Canada:** 416-739-1000



© 2026 INNOVA. All rights reserved.

Revised August 19, 2026

AIO® Gen 1 and Gen 2+ Wall Mounted Units

Summary Of Differences