

AIO™ Smart Touch Controller (ECAO3II/ECBO3II)

Product Data Sheet



ECAO3II



ECBO3II

CONTACT INFO

VIP Customer/Technical Support

Email: vip@innova.co

Phone: [\(212\) 204-2700](tel:(212)204-2700)

DISCLAIMER

This documentation is intended for informational use only and should not be construed as a binding representation or contract. This documentation is provided “as is” without warranty of any kind, either express or implied. INNOVA and its affiliates disclaim all liability arising from the use or misuse of this documentation.

Illustrations may not be to scale, and all information and dimensions stated herein are subject to change at any time at the sole discretion of INNOVA. Benefits described herein apply only to the extent that the product is installed correctly in the correct application and used for its intended purpose.

INNOVA is constantly innovating and improving its products and reserves the right to modify product design and specifications without notice and without incurring any obligations.

AIO® is a registered trademark of INNOVA.

Copyright © 2026 INNOVA. All rights reserved.

1. READING THIS DOCUMENTATION

Some symbols and language in this guide have specific meanings.

Note: Any reference to “the unit” is meant to refer to the AIO™ Wall Mounted / Wall Mounted Pro unit.

1.1 Icons and symbols

Warnings and Attentions are included throughout this guide. It is essential to read each carefully and follow the instructions stated.

WARNING

Used to advise of a situation or potential situation which, if not avoided, may result in death, serious injury, and/or property damage.

2. AIO™ SMART TOUCH CONTROLLER ECBO3II

- Wired
- Wall mounted

WARNING

Only qualified professionals should install and service this equipment. Improper installation or modification by an unqualified person could result in death or serious injury. When working on the equipment, observe all precautions in the installation manual and labels attached to the equipment.

3. SMART TOUCH CONTROLLER ECBO3II SUBMITTAL

Job	Reference	Construction
Location	Approval	Quote Number
Engineer	Date	Drawing Number
Submitted To	Submitted By:	P.O. Number:

The wall-mounted Smart Touch Controller for the AIO™ Wall Mounted is simple and easy to use. Its sleek design and low profile make it easily blend into any decor. The LED display dims after 15 seconds, making it ideal for any room, especially a bedroom. This controller replaces the functionality of the onboard controller. Available in white or black.

3.1 Features

- The LED display dims after 15 seconds of inactivity
- Touch controller
- Modes include: Cool, Heat, Dehumidify, and Fan Only.
- Fan Controls include: Low, Medium, High, and Auto
- Keypad lock
- Louver control
- Sleep mode
- Fahrenheit or Celsius temperature display

3.2 General

- **Display**
 - Plastic touch screen
- **Material**
 - Frame: White (ECBO3II) or black (ECAO3II) plastic
 - Cover: White (ECBO3II) or black (ECAO3II) plastic
- **Connection**
 - Included 5-wire, 5-pin wiring harness
 - Maximum 19' run
- **Mounting**
 - Surface mounted
- **Warranty**
 - 2-year limited
- **Power Consumption**
 - Less than 1 kWh/month

3.3 Included

- ECBO3II Smart Touch Controller
- Wire and wiring harness
- Mounting screws


3.4 Dimensions

- **Dimensions**
 - Width: 4.3" (109.2 mm)
 - Height: 3.0" (76.2 mm)
 - Depth: 0.6" (15.2 mm)
- **Weight:**
 - 0.5 lb (0.2 kg)



With over 20 years of experience in the climate comfort sector, we have a clear goal: growth through innovation. Our team is laser-focused on the conception, development, and production of innovative heating, ventilation, and air conditioning solutions. This mission has developed through bringing together technical skills, creativity, technology, design, Italian passion, and a global vision to achieve the best energy efficiency and performance.

innova.co | **USA:** 216-710-1000 **Canada:** 416-739-1000



© 2026 INNOVA. All rights reserved.

Revised June 24, 2026

AIO™ Smart Touch Controller (ECAO3II/ECBO3II)

Product Data Sheet